



Tentsnology Tent& House Co.,Ltd

ADD:No.156,Jiaotong West Road,Rudong,Nantong,Jiangsu,RPC

TEL:+86-513-8402 0363 FAX:+86-513-8026 0115

Email:info@tentsnology.com webpage: http://www.tentsnology.com

Tent Structure

Installation & Maintenance

Instructions Manual

April, 2007





Tentsnology Tent& House Co., Ltd


ADD:No.156,Jiaotong West Road,Rudong,Nantong,Jiangsu,RPC

TEL:+86-513-8402 0363 FAX:+86-513-8026 0115

Email:info@tentsnology.com webpage: http://www.tentsnology.com

Connection triangle

屋檐连接角



1. 将屋檐连接角装入横梁内。

Let ridge connection angle to the tapered beam.




Tentsnology Tent& House Co.,Ltd

ADD:No.156,Jiaotong West Road,Rudong,Nantong,Jiangsu,RPC

TEL:+86-513-8402 0363 FAX:+86-513-8026 0115

Email:info@tentsnology.com webpage: <http://www.tentsnology.com>






Tentsnology Tent& House Co.,Ltd

ADD:No.156,Jiaotong West Road,Rudong,Nantong,Jiangsu,RPC

TEL:+86-513-8402 0363 FAX:+86-513-8026 0115

Email:info@tentsnology.com webpage: http://www.tentsnology.com



2. 4个连接角依次连接横梁，上紧螺丝既可。

Let the 4 connection triangle to the tapered beam. With trough of bolt.




Tentsnology Tent& House Co.,Ltd

ADD:No.156,Jiaotong West Road,Rudong,Nantong,Jiangsu,RPC

TEL:+86-513-8402 0363 FAX:+86-513-8026 0115

Email:info@tentsnology.com webpage: <http://www.tentsnology.com>





Tentsnology Tent& House Co.,Ltd


ADD:No.156,Jiaotong West Road,Rudong,Nantong,Jiangsu,RPC

TEL:+86-513-8402 0363 FAX:+86-513-8026 0115

Email:info@tentsnology.com webpage: http://www.tentsnology.com

Roofing square pipe

屋面方管



Put one end of hook of the roofing square pipe into the empty of connection triangle.




Tentsnology Tent& House Co.,Ltd

ADD:No.156,Jiaotong West Road,Rudong,Nantong,Jiangsu,RPC

TEL:+86-513-8402 0363 FAX:+86-513-8026 0115

Email:info@tentsnology.com webpage: http://www.tentsnology.com



4. 将套筒的4个角插入屋面方管另一端。

Put the 4 agles of the sleeve into the other end of the roofing square pipe.




Tentsnology Tent& House Co.,Ltd

ADD:No.156,Jiaotong West Road,Rudong,Nantong,Jiangsu,RPC

TEL:+86-513-8402 0363 FAX:+86-513-8026 0115

Email:info@tentsnology.com webpage: http://www.tentsnology.com






Tentsnology Tent& House Co.,Ltd

ADD:No.156,Jiaotong West Road,Rudong,Nantong,Jiangsu,RPC

TEL:+86-513-8402 0363 FAX:+86-513-8026 0115

Email:info@tentsnology.com webpage: <http://www.tentsnology.com>






Tentsnology Tent& House Co.,Ltd

ADD:No.156,Jiaotong West Road,Rudong,Nantong,Jiangsu,RPC

TEL:+86-513-8402 0363 FAX:+86-513-8026 0115

Email:info@tentsnology.com webpage: http://www.tentsnology.com





Tentsnology Tent& House Co.,Ltd


ADD:No.156,Jiaotong West Road,Rudong,Nantong,Jiangsu,RPC

TEL:+86-513-8402 0363 FAX:+86-513-8026 0115

Email:info@tentsnology.com webpage: http://www.tentsnology.com

roof PVC cloth of tent

顶篷






Tentsnology Tent& House Co.,Ltd

ADD:No.156,Jiaotong West Road,Rudong,Nantong,Jiangsu,RPC

TEL:+86-513-8402 0363 FAX:+86-513-8026 0115

Email:info@tentsnology.com webpage: http://www.tentsnology.com



6. 将顶篷撑开覆盖在框架上。

Open the roof PVC cloth of tent and cover it on the frame.



Tentsnology Tent& House Co., Ltd


ADD:No.156,Jiaotong West Road,Rudong,Nantong,Jiangsu,RPC

TEL:+86-513-8402 0363 FAX:+86-513-8026 0115

Email:info@tentsnology.com webpage: http://www.tentsnology.com

roof PVC cloth of tent

顶篷



7. 用穿条将顶篷穿入横梁的孔内，4边穿完固定既可。

With the PVC bar connect the fabric to the hole.later Fixed it.




Tentsnology Tent& House Co.,Ltd

ADD:No.156,Jiaotong West Road,Rudong,Nantong,Jiangsu,RPC

TEL:+86-513-8402 0363 FAX:+86-513-8026 0115

Email:info@tentsnology.com webpage: http://www.tentsnology.com






Tentsnology Tent& House Co.,Ltd

ADD:No.156,Jiaotong West Road,Rudong,Nantong,Jiangsu,RPC

TEL:+86-513-8402 0363 FAX:+86-513-8026 0115

Email:info@tentsnology.com webpage: http://www.tentsnology.com



8. 进入固定好的顶篷内，撑起顶篷转动螺杆，直至顶篷绷紧为止。

Enter the fixed roof PVC cloth of tent and open it and turn the screw until the roof PVC cloth of tent is strained.




Tentsnology Tent& House Co.,Ltd

ADD:No.156,Jiaotong West Road,Rudong,Nantong,Jiangsu,RPC

TEL:+86-513-8402 0363 FAX:+86-513-8026 0115

Email:info@tentsnology.com webpage: http://www.tentsnology.com



9. 用叉杆顶起篷房上端，4个角连接承重柱。

Use the pole with fork to support the above of tent and connect the king tower with 4 connection triangles.




Tentsnology Tent& House Co.,Ltd

ADD:No.156,Jiaotong West Road,Rudong,Nantong,Jiangsu,RPC

TEL:+86-513-8402 0363 FAX:+86-513-8026 0115

Email:info@tentsnology.com webpage: http://www.tentsnology.com



10. 承重柱底部连接基座，用螺丝固定高度。

Connect pedestal with the end of the king tower ,use the screw to fix the height.




Tentsnology Tent& House Co.,Ltd

ADD:No.156,Jiaotong West Road,Rudong,Nantong,Jiangsu,RPC

TEL:+86-513-8402 0363 FAX:+86-513-8026 0115

Email:info@tentsnology.com webpage: http://www.tentsnology.com






Tentsnology Tent& House Co., Ltd

ADD:No.156,Jiaotong West Road,Rudong,Nantong,Jiangsu,RPC

TEL:+86-513-8402 0363 FAX:+86-513-8026 0115

Email:info@tentsnology.com webpage: http://www.tentsnology.com



11. 将边墙上端的丁字扣插入横梁中间的缺口处。

put the T clasp to the tapered beam's vacancy to install fabric.




Tentsnology Tent& House Co.,Ltd

ADD:No.156,Jiaotong West Road,Rudong,Nantong,Jiangsu,RPC

TEL:+86-513-8402 0363 FAX:+86-513-8026 0115

Email:info@tentsnology.com webpage: http://www.tentsnology.com



12. 将边墙有穿条部分的篷布插入承重柱上端的缺口内，拉至底部。

Put the fabric with PVC clips of the frontier wall into the nick of the above of the king tower and pull the end.




Tentsnology Tent& House Co.,Ltd

ADD:No.156,Jiaotong West Road,Rudong,Nantong,Jiangsu,RPC

TEL:+86-513-8402 0363 FAX:+86-513-8026 0115

Email:info@tentsnology.com webpage: http://www.tentsnology.com






Tentsnology Tent& House Co.,Ltd

ADD:No.156,Jiaotong West Road,Rudong,Nantong,Jiangsu,RPC

TEL:+86-513-8402 0363 FAX:+86-513-8026 0115

Email:info@tentsnology.com webpage: http://www.tentsnology.com






Tentsnology Tent& House Co.,Ltd

ADD:No.156,Jiaotong West Road,Rudong,Nantong,Jiangsu,RPC

TEL:+86-513-8402 0363 FAX:+86-513-8026 0115

Email:info@tentsnology.com webpage: http://www.tentsnology.com



13. 将围边装在篷房屋檐上（安装方法与顶篷相同），此步后篷房搭建完成。

connect the side and eave(the way same connect the fabric),accomplish install.